

## Bayley Roof Ladders

Our products are specifically designed to meet the demanding requirements of Fire and Rescue services.

### Types of Roof Ladder

Bayley Roof ladders range from 4.5m up to 5.4m dependant on model type and configuration, we supply the ladders in single section with fixed hook(s), single section with folding hook(s) and folding hook and folding section combined.

### Roof Ladder Construction

All of our roof ladder range uses light weight but high strength Aluminium Alloys for the stiles and rungs.

The extruded rounded rungs are ribbed for high grip and the shape contributes to a stronger cross section. The rungs are swaged to the stiles enabling a very strong and stable ladder.

Within all our roof ladder range we supply as standard high strength pressure plates for roof assisted support, enabling the ladder load to be spread evenly through the pressure plates. The roof wheels are constructed from a high temperature elastomeric material.

We offer various hooks dependent on operational requirements. Please see additional information page within this document.

### Specifications & Use

We build our ladders to the BS EN1147:2010 standard.

Bayley ladders are the mainstay of Fire & Rescue Services both nationally and internationally.



Please contact our technical sales team for further information


+ AS Fire & Safety + Bayley + Collins Youldon

Tel: +44 1480 832200 | Fax: +44 1480 832233

[www.supplyplus.com](http://www.supplyplus.com)

## Bayley Roof Ladders

The following are the main options available for inclusion on BAYLEY Roof Ladders



**Standard**




**Ashford**

The Ashford hook offers additional height reduction over the standard folding hook.



**Hinge**



**Ferrule**

Please contact our technical sales team for further information

+ AS Fire & Safety + Bayley + Collins Youldon

Tel: +44 1480 832200 | Fax: +44 1480 832233

[www.supplyplus.com](http://www.supplyplus.com)

# Bayley Roof Ladders

| BAYLEY Roof Ladders       |                    |                    |                     |                     |
|---------------------------|--------------------|--------------------|---------------------|---------------------|
| Model                     | BL19-19            | BL19-19W           | BL19-19F            | BL19-19WF           |
|                           | fix/hook one piece | fix/hook one piece | fold/hook one piece | fold/hook one piece |
| Length Overall            | 4.5m               | 4.5m               | 4.5m                | 4.5m                |
| Length Folded             | N/A                | N/A                | N/A                 | N/A                 |
| Width Internal            | 241mm              | 279mm              | 241mm               | 279mm               |
| Weight                    | 14kg               | 14kg               | 14kg                | 14kg                |
| EN 1147<br>Categorisation | 1 Person Access    | 1 Person Access    | 1 Person Access     | 1 Person Access     |

| BAYLEY Roof Ladders       |                    |                    |                     |                     |
|---------------------------|--------------------|--------------------|---------------------|---------------------|
| Model                     | BL19-20            | BL19-20W           | BL19-20F            | BL19-20WF           |
|                           | fix/hook one piece | fix/hook one piece | fold/hook one piece | fold/hook one piece |
| Length Overall            | 5.4m               | 5.4m               | 5.4m                | 5.4m                |
| Length Folded             | N/A                | N/A                | N/A                 | N/A                 |
| Width Internal            | 241mm              | 279mm              | 241mm               | 279mm               |
| Weight                    | 15kg               | 15kg               | 15kg                | 15kg                |
| EN 1147<br>Categorisation | 1 Person Access    | 1 Person Access    | 1 Person Access     | 1 Person Access     |

Please contact our technical sales team for further information

+ **AS Fire & Safety** + **Bayley** + **Collins Youldon**

Tel: +44 1480 832200 | Fax: +44 1480 832233

[www.supplyplus.com](http://www.supplyplus.com)

# Bayley Roof Ladders

| BAYLEY Roof Ladders       |                  |                  |                   |                   |
|---------------------------|------------------|------------------|-------------------|-------------------|
| Model                     | BL19-21          | BL19-21W         | BL19-21F          | BL19-21WF         |
|                           | fix/hook folding | fix/hook folding | fold/hook folding | fold/hook folding |
| Length Overall            | 4.5m             | 4.5m             | 4.5m              | 4.5m              |
| Length Folded             | 2.87m            | 2.87m            | 2.87m             | 2.87              |
| Width Internal            | 241mm            | 279mm            | 241mm             | 279mm             |
| Weight                    | 14kg             | 14kg             | 14kg              | 14kg              |
| EN 1147<br>Categorisation | 1 Person Access  | 1 Person Access  | 1 Person Access   | 1 Person Access   |

| BAYLEY Roof Ladders       |                  |                  |                   |                   |
|---------------------------|------------------|------------------|-------------------|-------------------|
| Model                     | BL19-22          | BL19-22W         | BL19-22F          | BL19-22WF         |
|                           | fix/hook folding | fix/hook folding | fold/hook folding | fold/hook folding |
| Length Overall            | 5.4m             | 5.4m             | 5.4m              | 5.4m              |
| Length Folded             | 3.23m            | 3.23m            | 3.23m             | 3.23m             |
| Width Internal            | 241mm            | 279mm            | 241mm             | 279mm             |
| Weight                    | 15kg             | 15kg             | 15kg              | 15kg              |
| EN 1147<br>Categorisation | 1 Person Access  | 1 Person Access  | 1 Person Access   | 1 Person Access   |

Please contact our technical sales team for further information

+ AS Fire & Safety + Bayley + Collins Youldon